

LAMPIRAN D

Uji Normalitas Data Penelitian

Descriptives				
	Kelompok		Statistic	Std. Error
Self_Stigma_Pre_Test	Kelompok Eksperimen	Mean	123.40	5.325
		95% Confidence Interval for Mean	Lower Bound	108.61
			Upper Bound	138.19
		5% Trimmed Mean	123.67	
		Median	128.00	
		Variance	141.800	
		Std. Deviation	11.908	
		Minimum	106	
		Maximum	136	
		Range	30	
		Interquartile Range	22	
		Skewness	-.776	.913
		Kurtosis	-.485	2.000
	Kelompok Kontrol	Mean	117.80	4.923
		95% Confidence Interval for Mean	Lower Bound	104.13
			Upper Bound	131.47
		5% Trimmed Mean	117.89	
		Median	115.00	
		Variance	121.200	
		Std. Deviation	11.009	
		Minimum	104	
		Maximum	130	
		Range	26	
		Interquartile Range	21	
		Skewness	.010	.913
		Kurtosis	-2.006	2.000
Self_Stigma_Post_Test	Kelompok Eksperimen	Mean	99.40	5.921
		95% Confidence Interval for Mean	Lower Bound	82.96
			Upper Bound	115.84
		5% Trimmed Mean	99.06	

Kelompok Kontrol	Median	93.00	
	Variance	175.300	
	Std. Deviation	13.240	
	Minimum	88	
	Maximum	117	
	Range	29	
	Interquartile Range	25	
	Skewness	.678	.913
	Kurtosis	-2.352	2.000
	Mean	109.20	4.017
	95% Confidence Interval for Mean	Lower Bound	98.05
		Upper Bound	120.35
	5% Trimmed Mean	109.39	
	Median	114.00	
	Variance	80.700	
	Std. Deviation	8.983	
	Minimum	98	
	Maximum	117	
	Range	19	
	Interquartile Range	17	
	Skewness	-.607	.913
	Kurtosis	-2.889	2.000





